



Item	Description	Specification
Composition	Product Code and available size	TWOTACK-12-10 (1,20*10m) TWO-TACK-13-50 (1,37*50m) TWOTACK-05-50 (5cm*50m) TWOTACK-05-10 (5cm*10m)
	Type of support	PET biaxial film
	Finish	Clear gloss
	Layers	Layer: self-adhesive clear gloss PET film 65my± 5% (70my ± 5%)
	Carrier PET treated on both sides	Side 1 with transparent acrylic self-adhesive glue: to be applied on the printed media after peeling off the protective film Side 2 with siliconed suction cup dots (492.800 dots per m ²): to be applied on the wall after peeling off the protective film
	Total thickness & weight	135my ± 5% (175gsm ± 5%)
Technical data	Elongation at Break (ASTM D638 M89 - %)	> 150%
	Release force	Side 1: 7.5 ≤ x ≤ 11 N/25mm Side 2: 0.05 ≤ x ≤ 0.15 N/25mm
	Peeling force (24h)	Side 1: 0.009 ≤ x ≤ 0.05 N/25mm Side 2: 0.09 ≤ x ≤ 0.3 N/25mm
	Dimensional Stability (MD)-(ASTM D1204-02)	≤ 0.1 in
	Working temperature	- 20 °C ÷ 50 °C
	Application temperature	8 ÷ 30 °C

Application	The product is ideal for the fast placement of bifacial images and glass decal on walls and windows. The suction-cups treatment allows you to apply and remove the image countless times. Commonly used for glass graphics, it can also be used for wall applications which require a fast change out made by the staff inside the store. Ideal for advertising campaigns in chain stores. Installation recommendations: it is obviously very important that the surface on which you are going to apply the product must be appropriately clean and smooth and free of defects before application, as required for any kind of applications. We recommend applications of no more than 3 months, otherwise the adhesive can go permanent.
Storage Period	6 months under ordinary conditions at the mean temperature of 10 ÷ 25 °C and relative humidity of 40-60%.
Printing compatibility	Not for printing, lamination only
REACH Regulation	Complying with the Italian Decree-Law nbr. 133 issued on 14.09.2009 and published on the Italian <i>Gazzetta Ufficiale</i> , we inform that the product comply with the REACH regulation with regard to the substances and chemicals used in their construction during manufacture. For further information, please refer to the certified copy available of the analyses worked out on the substances taken into consideration by REACH (Registration Evaluation Authorization of Chemicals).
Notes	<i>Published information is based upon research and information which the Company believes to be reliable although such information does not constitute a warranty. Because of the variety of uses of the products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to changes without prior notice.</i>

